

CERTIFICATE OF COMPLIANCE

Certificate Number 20140610-E172877
Report Reference E172877-20121213
Issue Date 2014-June-10

Issued to: CARLO GAVAZZI LTD
BLB042
BULEBEL INDUSTRIAL ESTATE
ZEJTUN ZTN 3000 MALTA


This is to certify that representative samples of MOTOR CONTROLLERS, MECHANICALLY-OPERATED AND SOLID-STATE
See addendum page

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: Industrial Control Equipment, UL 508
Industrial Control Equipment, CSA C22.2 No. 14-10

Additional Information: See the UL Online Certifications Directory at www.ul.com/database for additional information

Only those products bearing the UL Listing Mark for the US and Canada should be considered as being covered by UL's Listing and Follow-Up Service meeting the appropriate requirements for US and Canada.

The UL Listing Mark for the US and Canada generally includes: the UL in a circle symbol with "C" and "US" identifiers:  the word "LISTED"; a control number (may be alphanumeric) assigned by UL; and the product category name (product identifier) as indicated in the appropriate UL Directory.

Look for the UL Listing Mark on the product.



William R. Carney, Director, North American Certification Programs
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at www.ul.com/contactus



CERTIFICATE OF COMPLIANCE

Certificate Number 20140610-E172877
Report Reference E172877-20121213
Issue Date 2014-June-10

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

USL, CNL - Open Type Solid State AC Motor Controller.

RSBD 45mm series, 3 Phase Compressor Softstarter:

Cat. No. RSB, followed by D, followed by 40 or 60, followed by 12, 16, 25, 32, 37 or 50, followed by E, F or G, may be followed by G or left blank, followed by V5 or V6, followed by 0 or 1, followed by HP or left blank, may be followed by suffixes.

*RSGD 45mm series, 3 Phase Softstarter:

Cat. No. RSG, followed by D, followed by 40 or 60, followed by 12, 16, 25, 32, 37 or 45, followed by E, F or G, followed by 0 or G, followed by VP, VD or VX, followed by 0 or 2, followed by 0 or 1, may be followed by suffixes.

RSWT 45mm series, 3 Phase Pump Softstarter:

Cat. No. RSW, followed by T, followed by 40 or 60, followed by 12, 16 or 25, followed by E, F or G, followed by 0 or F or G, followed by V00 or V10, may be followed by 1 or left blank, may be followed by suffixes.

RSGT 45mm series, 3 Phase Softstarter:

Cat. No. RSG, followed by T, followed by 40 or 60, followed by 12, 16 or 25, followed by E, F or G, followed by 0 or F or G, followed by V00 or V10, may be followed by 1 or left blank, may be followed by suffixes.

RSBT 45mm 600V series, 3 Phase Compressor Softstarter:

Cat. No. RSB, followed by T, followed by 60, followed by 12, 16 or 25, followed by F or G, followed by F or G, followed by V5 or V6, followed by 0 or 1, may be followed by HP or left blank, may be followed by suffixes.



William R. Carney, Director, North American Certification Programs
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at www.ul.com/contactus



CERTIFICATE OF COMPLIANCE

Certificate Number 20140610-E172877
Report Reference E172877-20121213
Issue Date 2014-June-10

Accessories for the RSBD/RSGD 45mm: Interconnecting Clip:

Cat. No. RT, followed by P, followed by M, followed by GMS32S or GMS32H, followed by L or H, may be followed by suffixes.

Accessories for the RSBD/RSGD and RSBT 45mm 600V 45mm: 3-Phase EMC/RFI Filter Module:

Cat. No. RFIL, followed by T, followed by 40, followed by 32, maybe followed by Vxx (xx representing any numbers), may be followed by suffixes.

Accessories for the RSBD/RSGD and RSBT 45mm 600V 45mm: Front Plug-In Module for Auxiliary Relay Output:

Cat. No. RF, followed by P, followed by M, maybe followed by Vxx (xx representing any numbers), may be followed by suffixes.

Accessories for the RSBD/RSGD and RSBT 45mm 600V 45mm: Side Plug-In Module for Auxiliary Relay Output:

Cat. No. RS, followed by P, followed by M, followed by V110 or V120, may be followed by suffixes.



William R. Carney, Director, North American Certification Programs
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at www.ul.com/contactus

